
# RESIDENTIAL & COMMERCIAL ELEVATORS





## Our range of products

Home Elevators Freight Elevators Hospital Elevators Automobile Elevators Dumb Waiters

Monarch is one of the fastest growing companies in the vertical transportation industry with in house R&D and manufacturing facilities. Safety and reliability form a part of our core values.

With our elegant design and best-in-class functionality, Monarch elevators are perfect blend of our technical expertise and Indian design sensibilities. It also underscores our commitment to the 'Make in India' initiative.

We have formed a strong 'technical team' with years of experience to provide necessary inputs at design stage, sales, installations and after sales service. Our services will be the best in class to support our customer while exceeding their expectations.

Monarch Elevator manufactures a full range of geared or gearless, machine-room or machine-roomless elevator in india. With over 33 years of experience, we've become one of india's leading elevator company with unique engineering capabilities to meet vertical traffic needs.

#### We cater to many sectors in real estate such as,

Residential Buildings:



**Restaurants:** 



Shopping Centres:



Office Buildings:



**Hospitals:** 



Factories and Warehouses:



# Reasons to Choose Our Elevators



#### **Energy Efficiency:**

Gearless technology with use of Regenerative and power saving LED lighting.



#### **Best In Comfort:**

Anti vibration rubber pads with VVVF Drive gives better comfort



#### **Lower Noise:**

Very silent operation and low Running noise.



#### **Design Innovative:**

Our award winning design helps your elevator standout



#### **Smooth Ride:**

Smooth ride comfort for best passenger experience



#### **Environmental Protection:**

Lubrication free, space saving layout



#### Safety And Reliability:

Monarch Rescue device for power failure multibeam sensor for doors and Accurate levelling



#### Long Life Span:

High quality bearings, nylon guide shoes, High tension ropes increases life span in full load conditions



# Monarch (GMF) Series

### **Gearless Machine Room Freight Elevator**

These are powerful, high performance and heavy duty elevators, ideally suitable for vertical freight transportation in a variety of buildings, warehouses, industrial plants and factories.

#### **Advantages:**

#### • High power and high performance:


Machines are designed to carry heavy loads with optimum power usage.

#### • Easy loading and unloading:

Levelling accuracy is maintained at +- 3mm ensuring easy loading and unloading of goods.


#### Wide load range:


It is available for different car sizes and loads. With a maximum load capacity of 5000kgs, it can meet every freight transportation requirement.



# **Construction Parameters**

# **Gearless Machine Room Freight Elevators-GMF series**





Standard Dimensions											
No. of Passengers	Load (kg)	Speed (m/s)	Car Width (CW)	Car Depth (CD)	Shaft Width (SW)	Shaft Depth (SD)	Door Opening (DW)	Pit depth	Min.Headroom height		
6	500	0.5 / 1.0	1100	1200	1900	1500	1100	1700	5000		
15	1000	0.5 / 1.0	1400	1800	2300	2100	1400	1700	5000		
22	1500	0.3 / 0.5	1700	2000	2600	2300	1700	1700	5000		
29	2000	0.3 / 0.5	1700	2500	2600	2800	1700	1700	5000		
36	2500	0.3 / 0.5	2000	2500	2900	2800	2000	1700	5000		
44	3000	0.3 / 0.5	2000	3000	2900	3300	2000	1700	5000		
58	4000	0.3 / 0.5	2500	3000	3400	3300	2500	1700	5000		
73	5000	0.3 / 0.5	2500	3600	3400	3900	2500	1700	5000		

# Cabin Options



Classic Powder Coated Finish



Modern Stainless Steel



Exquisite Mirror Finish



Luxury Golden Mirror Etched



Ultra Luxury Rose Gold Finish



Black Mirror Finish

# Cabin Options



Designer Stainless Steel



Mild Steel Powder Coated Finish



Stainless Steel Finish



Wooden Finish



Designer Wooden Finish



Golden Mirror Finish

# Door Options



Stainless Steel Centre Opening



Stainless Steel Telescopic



Stainless Steel Small Vision Door



Stainless Steel Big Vision Glass Door



Ms Powder Coated Centre Opening



Ms Powder Telescopic Door



Stainless Steel Etched Finish



Stainless Steel Mirror Finish Door

Have you ever noticed how people waiting for an elevator tend to stand and look straight ahead? With that much attention, your elevator entrances better look good.

Monarch offers a variety of entrances to meet your needs for aesthetics and functionality. Centre-opening and side-slide openings are available inseveral stainless steel and painted finishes to add to the visual appeal of your lobby & hallways.

With Monarch you can choose from a wide variety of colours and finishes to complement your architectural style. In fact you can create a custom look by mixing and matching the choices that are available to you.

## Car Ceilings:









### **Designer Floorings:**









### Handrails:





# **Car And Landing Operating Panels**



### LCD And TFT Display





# **Elevator Functions**

● : Standard, ◎ : Option

No.	Name	Description	(iii) : Option							
Ор	Operating systems									
1	Simplex collective control	This is a fully automatic operation used for a single elevator system. Hall calls in the direction in which the elevator is travelling are responded to sequentially and when all calls in that direction are cleared, calls in the opposite direction are responded to. When there are no more calls, the elevator will stop at the last floor served.								
2	Duplex collective control	This is a fully automatic operation used for a two-elevator system. Hall calls are responded to by whichever elevator that can serve the hall call faster. When there are no more calls, one of the elevators will stand by at the stand by floor while the other elevator will stay at the last floor served.	0							
Ser	vice functions									
1	Attendant operation	For this system the stop floor is manually set by an attendant such as in a department store.	0							
2	Independent operation	This operation system is used when there is a need to serve special passengers. Under this operation, all hall calls are disabled for the elevator and it is reserved for exclusive use of the special passengers.								
3	Separated simplex operation	When duplex collective control or group control is used, a selector switch on the control panel is used to switch between parallel operation and independent operation.	0							
4	Interphone system	An interphone system is provided for emergency communication between the elevator and the master unit on the ground floor.	•							
5	Floor lock-out operation	Specific service floors can be locked-out by activating a switch.	0							
6	Temporary call registration of certain restricted floor	By inputting a pre-programmed code using the car operating board floor buttons, passengers can gain access to certain restricted floors.	0							
Saf	Safety functions									
1	Abnormal speed protection function	In the event that the elevator is moving downwards at an abnormally high speed, the brakes will be automatically engaged and the elevator will cease operation.	•							
2	Out of door-open zone alarm	In the event that the elevator stops out of the door-open zone of a selected floor, doors will not open, and an alarm will be sound in the elevator.	•							
3	Rescue operation	When the elevator stops out of the door-open zone, it will move to the nearest floor at slow speed to release passengers.	•							
4	Micro-leveling	Automatic correction of elevator landing level when there is a level difference between car and floor.	•							
5	Car emergency lighting	In the event of a power failure, an emergency light inside the elevator will be automatically activated.	•							
6	Emergency battery	In the event of a power failure, this emergency supply allows the operation of a light, fan and alarm bell.	0							
7	Multi-beam door sensor	In the event that the beam paths are obstructed, this sensor, installed at the edge of the doors, will keep the doors open.	•							
Info	Information functions									
1	IC auto announcement (English)	Preset standard messages are announced to the passengers.	0							
2	Arrival audio signal	An electrical chime (located at the top and bottom of the elevator) will sound just before the arrival of the elevator.	0							
Ene	Energy-saving functions									
1	Regenerative system	When traveling downwards with a heavy car load or upwards with a light car load, the traction machine acts as a power generator to transmit power back to the electrical network in the building.	0							
2	Automatic turn-off of elevator light and fan	In the event that the elevator is not in use, the light and ventilation fan in the elevator are automatically turned off to conserve energy.	0							





- Jyoti Studio Compound, Kennedy Bridge, Nana Chawk, Grant Road, Mumbai - 400 007. INDIA
- & 91-22-2387 1808 / 2387 7014
- info@monarchelevator.com raman@monarchelevator.com
- www.monarchelevator.com